

JUL 15 1999

## ANALYTICAL REPORT

Mr. Richard Tyler  
MILBANK MANUFACTURING INC  
1400 E. Havens Street  
Kokomo, IN 56901-3188

07/12/1999

Job Number: 99.03721  
Page 1 of 3

PO. 209646

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WEEKLY WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
242249	OUTFALL 001/COMPOSITE	07/01/1999	07/02/1999
242250	OUTFALL 001 GRAB	07/01/1999	07/02/1999

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

  
Project Representative

JUL 15 1999

## ANALYTICAL REPORT

Mr. Richard Tyler  
 MILBANK MANUFACTURING INC  
 1400 E. Havens Street  
 Kokomo, IN 56901-3188

07/12/1999

Job No.: 99.03721

Page 2 of 3

Date Received: 07/02/1999

Job Description: WEEKLY WASTEWATER ANALYSIS

Sample Number / Sample I.D.	Result	Flag	Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
242249	OUTFALL 001/COMPOSITE		07/01/1999			
CBOD - Five Day	10		mg/L	tpd / 07/07/1999	EPA 405.1	<5.
CBOD - Five Day (PREP)	Complete			tpd / 07/02/1999	EPA 405.1	Complete
COD	92		mg/L	ddm / 07/08/1999	EPA 410.4	<10.
Solids, Suspended	42		mg/L	cls / 07/08/1999	EPA 160.2	<5.
Zinc, ICP	0.024		mg/L	psc / 07/08/1999	EPA 200.7	<0.020
242250	OUTFALL 001 GRAB		07/01/1999			
Oil & Grease	<5.		mg/L	sat / 07/09/1999	EPA 1664	<5.

JUL 15 1999

## FIELD REPORT

**JOB #:** 99.03721  
**CLIENT:** MILBANK MFG.  
**PROJECT:** WEEKLY WASTEWATER SAMPLING  
**DATE:** 7/01/99  
**SAMPLER(S):** MTM

An ISCO model 6700 auto sampler was used in the sequential mode of operation. The sampler was equipped with plastic containers, tygon suction line, power pack, and strainer.

All reusable equipment is decontaminated withalconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 8 hours.

Monitoring start 7:30 on 7/01/99  
Monitoring end 15:30 on 7/01/99

The samples were then composited based on flow weight, and preserved in the appropriate containers.



7-1-99



Corporate Office:  
P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

<i>TIME</i>	<i>METER READING</i>
7:00	85400
7:30	85400
8:00	85560
8:30	85790
9:00	86000
9:30	86220
10:00	86440
10:30	86580
11:00	86710
11:30	86920
12:00	87130
12:30	87350
1:00	87570
1:30	87780
2:00	88000
2:30	88220
3:00	88430
3:30	88650
4:00	88870

Manufacturer of Meter Mounting Equipment Since 1927  
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0005406